



THE OUTDOOR PLUS

USA MANUFACTURER OF FIRE & WATER FEATURES

2020 Supplemental Product Catalog

Since 1976

Danielle
Fence & Outdoor Living

4855 State Road 60 West | Mulberry, FL 33860
863.425.3182 | 813.681.6181
www.DanielleFence.com



Sedona Wood Grain Planter Bowl

Includes Bowl only (Soil and plants not included)

Part Number	Diameter	Base	Height	Soil Usage
OPT-27RWGWO	27"	12"	10"	1.5 ft ³

Sedona Wood Grain Planter & Water Bowl

Includes Bowl, Copper Scupper (3/4" Inlet) (Soil and plants not included)

Part Number	Diameter	Base	Height	Soil Usage	GPM
OPT-27RWGWP	27"	12"	10"	1.5 ft ³	12-15

Sedona Wood Grain Water Bowl

Includes Bowl, Smooth Flow Water Fitting (1 1/2" inlet), Copper Spill Way

Part Number	Diameter	Base	Height	GPM
OPT-27RWGPO	27"	12"	10"	12-15



Sedona Wood Grain Fire Bowl

Includes Bowl, Fire Pan, Burner, Whistle Free Hose, LP or NG Orifice, Mounting Bracket & Lava Rock.

Part Number	Ignition	Diameter	Base	Height	Burner	BTU	Sugg. Glass
OPT-27RWGFO	Match Lit	27"	12"	10"	8"	40,000	50 lbs.
OPT-27RWGFOE12V	Electronic	27"	12"	10"	8"	40,000	50 lbs.



Sedona Wood Grain Fire & Water Bowl

Includes Bowl, Fire Pan, Burner, Whistle Free Hose, LP or NG Orifice, Copper Scupper (3/4" Inlet) Mounting Bracket & Lava Rock.

Part Number	Ignition	Diameter	Base	Height	Burner	BTU	Sugg. Glass
OPT-27RWGFW	Match Lit	27"	12"	10"	8"	40,000	50 lbs.
OPT-27RWGFWE12V	Electronic	27"	12"	10"	8"	40,000	50 lbs.



GFRC Wood Grain Color Options

Specify the color by adding the color code to the end of the part number.

Example: Big Sur Fire Pit in Ivory = OPT-COR48-IVY



Sedona Canvas Cover (Grey) - Sold Separately

27" Cover—OPT-BCVR-27R

33" Cover—OPT-BCVR-33R



Cazo Wood Grain Planter Bowl

Includes Bowl only (Soil and plants not included)

Part Number	Size	Base	Height	Soil Usage
OPT-24RWGPO	24"	12"	8"	1 ft ³
OPT-31RWGPO	31"	12"	10"	2 ft ³

Cazo Wood Grain Planter & Water Bowl

Includes Bowl, Copper Scupper (3/4" Inlet) (Soil and plants not included)

Part Number	Size	Base	Height	Soil Usage	GPM
OPT-24RWGPW	24"	12"	8"	1 ft ³	12-15
OPT-31RWGPW	31"	12"	10"	2 ft ³	12-15

Cazo Wood Grain Water Bowl

Includes Bowl, Smooth Flow Water Fitting (1 1/2" inlet), Copper Spill Way



Part Number	Size	Base	Height	GPM
OPT-24RWGWO	24"	12"	8"	12-15
OPT-31RWGWO	31"	12"	10"	12-15

Cazo Wood Grain Fire Bowl

Includes Bowl, Fire Pan, Burner, Whistle Free Hose, LP or NG Orifice, Mounting Bracket & Lava Rock.

Part Number	Ignition	Size	Base	Height	Burner	BTU	Sugg. Glass
OPT-24RWGFO	Match Lit	24"	12"	8"	8"	40,000	30 lbs.
OPT-31RWGFO	Match Lit	31"	12"	10"	12"	65,000	50 lbs.
OPT-24RWGFOE12V	Electronic	24"	12"	8"	8"	40,000	30 lbs.
OPT-31RWGFOE12V	Electronic	31"	12"	10"	12"	65,000	50 lbs.



Cazo Wood Grain Fire and Water Bowl

Includes Bowl, Fire Pan, Burner, Whistle Free Hose, LP or NG Orifice, Copper Scupper (3/4" Inlet) Mounting Bracket & Lava Rock.

Part Number	Ignition	Size	Base	Height	Burner	BTU	Sugg. Glass
OPT-24RWGFW	Match Lit	24"	12"	8"	8"	40,000	30 lbs.
OPT-31RWGFW	Match Lit	31"	12"	10"	12"	65,000	50 lbs.
OPT-24RWGFWE12V	Electronic	24"	12"	8"	8"	40,000	30 lbs.
OPT-31RWGFWE12V	Electronic	31"	12"	10"	12"	65,000	50 lbs.



GFRC Wood Grain Color Options

Specify the color by adding the color code to the end of the part number.

Example: Big Sur Fire Pit in Ivory = OPT-COR48-IVY



Cazo Canvas Cover (Grey) - Sold Separately

24" Cover—OPT-BCVR-24R

31" Cover—OPT-BCVR-31R

Maya Wood Grain Planter Bowl

Includes Bowl only (Soil and plants not included)



Part Number	Size	Base	Height	Soil Usage
OPT-24SWGPO	24"	13"	10.5"	1.5 ft ³
OPT-30SWGPO	30"	13"	10.5"	2 ft ³

Maya Wood Grain Planter & Water Bowl

Includes Bowl, Copper Scupper (3/4" Inlet) (Soil and plants not included)

Part Number	Size	Base	Height	Soil Usage	GPM
OPT-24SWGPO	24"	13"	10.5"	1.5 ft ³	12-15
OPT-30SWGPO	30"	13"	10.5"	2 ft ³	12-15



Maya Wood Grain Water Bowl

Includes Bowl, Smooth Flow Water Fitting (1 1/2" inlet), Copper Spill Way

Part Number	Size	Base	Height	GPM
OPT-24SWGWO	24"	13"	10.5"	12-15
OPT-30SWGWO	30"	13"	10.5"	12-15



Maya Wood Grain Fire Bowl

Includes Bowl, Fire Pan, Burner, Whistle Free Hose, LP or NG Orifice, Mounting Bracket & Lava Rock.

Part Number	Ignition	Size	Base	Height	Burner	BTU	Sugg. Glass
OPT-24SWGFO	Match Lit	24"	13"	10.5"	8"	40,000	50 lbs
OPT-30SWGFO	Match Lit	30"	13"	10.5"	12"	65,000	65 lbs
OPT-24SWGFOE12V	Electronic	24"	13"	10.5"	8"	40,000	50 lbs
OPT-30SWGFOE12V	Electronic	30"	13"	10.5"	12"	65,000	65 lbs



Maya Wood Grain Fire and Water Bowl

Includes Bowl, Fire Pan, Burner, Whistle Free Hose, LP or NG Orifice, Copper Scupper (3/4" Inlet) Mounting Bracket & Lava Rock.

Part Number	Ignition	Size	Base	Height	Burner	BTU	Sugg. Glass
OPT-24SWGFW	Match Lit	24"	13"	10.5"	8"	40,000	50 lbs
OPT-30SWGFW	Match Lit	30"	13"	10.5"	12"	65,000	65 lbs
OPT-24SWGFW12V	Electronic	24"	13"	10.5"	8"	40,000	50 lbs
OPT-30SWGFW12V	Electronic	30"	13"	10.5"	12"	65,000	65 lbs



GFRC Wood Grain Color Options

Specify the color by adding the color code to the end of the part number.

Example: Big Sur Fire Pit in Ivory = OPT-COR48-IVY



Maya Canvas Cover (Grey) - Sold Separately

24" Cover—OPT-BCVR-2424

30" Cover—OPT-BCVR-3030



Sedona Powder Coated Planter Bowl

Includes Bowl only (Soil and plants not included)

Part Number	Diameter	Base	Height	Soil Usage
OPT-27RPCPO	27"	12"	10"	1.5 ft ³

Sedona Powder Coated Planter & Water Bowl

Includes Bowl, Copper Scupper (3/4" Inlet) (Soil and plants not included)

Part Number	Diameter	Base	Height	Soil Usage	GPM
OPT-27RPCPW	27"	12"	10"	1.5 ft ³	12-15



Sedona Powder Coated Water Bowl

Includes Bowl, Smooth Flow Water Fitting (1 1/2" inlet), Copper Spill Way

Part Number	Size	Base	Height	GPM
OPT-27RPCWO	27"	12"	10"	12-15



Sedona Powder Coated Fire Bowl

Includes Bowl, Fire Pan, Burner, Whistle Free Hose, LP or NG Orifice, Mounting Bracket & Lava Rock.

Part Number	Ignition	Size	Base	Height	Burner	BTU	Sugg. Glass
OPT-27RPCFO	Match Lit	27"	12"	10"	8"	40,000	50 lbs.
OPT-27RPCFOE12V	Electronic	27"	12"	10"	8"	40,000	50 lbs.


Sedona Powder Coated Fire and Water Bowl

Includes Bowl, Fire Pan, Burner, Whistle Free Hose, LP or NG Orifice, Copper Scupper (3/4" Inlet) Mounting Bracket & Lava Rock.

Part Number	Ignition	Size	Base	Height	Burner	BTU	Sugg. Glass
OPT-27RPCFW	Match Lit	27"	12"	10"	8"	40,000	50 lbs.
OPT-27RPCFWE12V	Electronic	27"	12"	10"	8"	40,000	50 lbs.

Powder Coat Color Options

When ordering, specify the concrete color by adding the color code to the end of the part number — **Example:** 27" Brown Sedona Water Bowl = OPT-27RWO-BRN
The Outdoor Plus individually handcrafts all of the products shown here. Finishes are subject to slight texture/color variations.





Sedona Copper Planter Bowl

Includes Bowl only (Soil and plants not included)

Part Number	Diameter	Base	Height	Soil Usage
OPT-27RCPRPO	27"	12"	10"	1.5 ft ³

Sedona Copper Planter & Water Bowl

Includes Bowl, Copper Scupper (3/4" Inlet) (Soil and plants not included)

Part Number	Diameter	Base	Height	Soil Usage	GPM
OPT-27RCPRPW	27"	12"	10"	1.5 ft ³	12-15



Sedona Copper Water Bowl

Includes Bowl, Smooth Flow Water Fitting (1 1/2" inlet), Copper Spill Way

Part Number	Size	Base	Height	GPM
OPT-27RCPRWO	27"	12"	10"	12-15

Sedona Copper Fire Bowl

Includes Bowl, Fire Pan, Burner, Whistle Free Hose, LP or NG Orifice, Mounting Bracket & Lava Rock.

Part Number	Ignition	Size	Base	Height	Burner	BTU	Sugg. Glass
OPT-27RCPRFO	Match Lit	27"	12"	10"	8"	40,000	50 lbs.
OPT-27RCPRFOE12V	Electronic	27"	12"	10"	8"	40,000	50 lbs.



Sedona Copper Fire and Water Bowl

Includes Bowl, Fire Pan, Burner, Whistle Free Hose, LP or NG Orifice, Copper Scupper (3/4" Inlet) Mounting Bracket & Lava Rock.

Part Number	Ignition	Size	Base	Height	Burner	BTU	Sugg. Glass
OPT-27RCPRFW	Match Lit	27"	12"	10"	8"	40,000	50 lbs.
OPT-27RCPRFWE12V	Electronic	27"	12"	10"	8"	40,000	50 lbs.



Bowls & Scuppers



48" Cazo GFRC Fire and Water Bowl 360° Spill

Includes Bowl, Fire Pan, Burner, Whistle Free Hose, LP or NG Orifice, Mounting Bracket & Lava Rock. (1 ½" Water Inlet)

Part Number	Ignition	Size	Base	Height	Burner	BTU	Sugg. Glass	GPM
OPT-48CZFW360	Match Lit	48"	20"	15"	8"	25,000	25 lbs	40-50
OPT-48CZFW360E12V	Electronic	48"	20"	15"	8"	25,000	25 lbs	40-50



Cazo Water Bowl - Wall Mounted

Includes Bowl Only (1 ½" Water Inlet)

Part Number	Width	Base Width	Height	Depth	GPM
OPT-R24CPWMT	24"	10"	10"	15"	12-15



Maya Water Bowl - Wall Mounted

Includes Bowl Only (1 ½" Water Inlet)

Part Number	Width	Base Width	Height	Depth	GPM
OPT-24SCWMT	24"	12"	10"	15"	12-15

Single V Scupper



Part Number	W	H	D
OPT-VSS4	4"	4"	3"
OPT-VSS5	5"	4"	3"
OPT-VSS6	6"	4"	3"
OPT-VSS7	7"	4"	3"
OPT-VSS8	8"	4"	3"

Triple Spill Scupper




Part Number	W	H	D
OPT-TRS4	4"	4"	6"
OPT-TRS6	6"	6"	6"
OPT-TRS8	8"	8"	6"




Scoop Style

Part Number	W	H	D
OPT-SCS4	4"	4"	4"
OPT-SCS6	6"	6"	4"
OPT-SCS8	8"	8"	4"



Mayan Style

Part Number	W	H	D
OPT-MYS4	3"	3"	6"
OPT-SCS6	4"	4"	6"



Rain Fall Style

Part Number	W	H	D
OPT-RNS6	6"	4"	3.5"
OPT-RNS8	8"	4"	3.5"
OPT-RNS12	12"	4"	3.5"
OPT-RNS24	24"	4"	3.5"
OPT-RNS36	36"	4"	3.5"

Fire Pits & Fire Tables

- All Fire Pits Include Fire Pan, Burner, Key Valve, Key, Hoses, 1" Black Lava Rock.
- Electronic Ignition Units include a 110V Electronic Valve and Igniter Pilot pre-installed. Plug & Play ready with 3-prong plug.



60" Whitney Fire Pit

- OPT-WHT60** Match Lit
- OPT-WHT60E110** 110V Plug & Play
- OPT-WHT60FSEN** Flame Sense Ignition


- » Outer Dimensions: 60" x 60"
- » Inner Dimensions: 36" x 36"
- » Width: 24"
- » Height: 24"
- » Burning Area: 48" x 48" x 10"
- » BTUs: 65,000
- » Suggested Fire Glass: 100 lbs.

Features access door for Propane tank storage.

72" Whitney Fire Pit

- OPT-WHT72** Match Lit
- OPT-WHT72E110** 110V Plug & Play
- OPT-WHT72FSEN** Flame Sense Ignition

- » Outer Dimensions: 72" x 72"
- » Inner Dimensions: 48" x 48"
- » Width: 24"
- » Height: 24"
- » Burning Area: 60" x 60" x 10"
- » BTUs: 65,000
- » Suggested Fire Glass: 125 lbs.



48" Eaves Fire Pit

- A. OPT-LBTCPR48** Hammered Copper
- B. OPT-LBTCS48** Corten Steel
- C. OPT-LBTSS48** Stainless Steel
- D. OPT-LBTPC48** Powder-coat Steel

- » Dimensions: 48" x 10"
- » Height: 10"
- » Burn Area: 44" x 6"
- » Weight: 315 lbs.
- » BTU: 65K
- » Suggested Fire Glass: 30 lbs.

OPTIONAL ACCESSORIES

Canvas Cover	OPT-CVR-4810
Stainless Steel Cover	OPT-RC1048

No door for Propane tank storage.

72" Eaves Fire Pit

- A. OPT-LBTCPR72** Hammered Copper
- B. OPT-LBTCS72** Corten Steel
- C. OPT-LBTSS72** Stainless Steel
- D. OPT-LBTPC72** Powder-coat Steel

- » Dimensions: 72" x 10"
- » Height: 10"
- » Burn Area: 68" x 6"
- » Weight: 315 lbs.
- » BTU: 65K
- » Suggested Fire Glass: 50 lbs.

OPTIONAL ACCESSORIES

Canvas Cover	OPT-CVR-7210
Stainless Steel Cover	OPT-RC1072



72" Carmen Fire Pit 16" Tall

- A. OPT-CRMCPR7216** Hammered Copper
- B. OPT-CRMC7216** Corten Steel
- C. OPT-CRMSS7216** Stainless Steel
- D. OPT-CRMPC7216** Powder-coat Steel

- » Dimensions: 72" x 16"
- » Height: 16"
- » Burn Area: 54" x 8"
- » Weight: 215 lbs.
- » BTU: 65K
- » Suggested Fire Glass: 50 lbs.

OPTIONAL ACCESSORIES

Canvas Cover	OPT-CVR-7216
Stainless Steel Cover	OPT-RC1056

24" tall unit includes access door for propane tank.

72" Carmen Fire Pit 24" Tall

- A. OPT-CRMCPR7224** Hammered Copper
- B. OPT-CRMC7224** Corten Steel
- C. OPT-CRMSS7224** Stainless Steel
- D. OPT-CRMPC7224** Powder-coat Steel


- » Dimensions: 72" x 16"
- » Height: 24"
- » Burn Area: 54" x 8"
- » Weight: 215 lbs.
- » BTU: 65K
- » Suggested Fire Glass: 50 lbs.

OPTIONAL ACCESSORIES

Canvas Cover	OPT-CVR-7216
Stainless Steel Cover	OPT-RC1056

Powder Coat Color Options

When ordering, specify the concrete color by adding the color code to the end of the part number — **Example:** 27" Brown Sedona Water Bowl = OPT-27RWO-BRN
The Outdoor Plus individually handcrafts all of the products shown here. Finishes are subject to slight texture/color variations.



Fire Pits & Fire Table

- All Fire Pits Include Fire Pan, Burner, Key Valve, Key, Hoses, 1" Black Lava Rock.
- Electronic Ignition Units include a 110V Electronic Valve and Igniter Pilot pre-installed. Plug & Play ready with 3-prong plug.



Yuma Fire Pit

- OPT-YUM36** Match Lit
- OPT-YUM36E110** 110V Plug & Play
- OPT-YUM36E110** Flame Sense Ignition

- » Dimensions: 36" x 24"
- » Base: 24" x 18"
- » Height: 23"
- » Burning Area: 20" x 8" x 2"
- » Weight: 150 lbs.
- » BTU: 65,000
- » Suggested Fire Glass: 25 lbs.

OPTIONAL ACCESSORIES

Canvas Cover	OPT-CVR-3624
Stainless Steel Cover	OPT-RC1022
Glass Wind Guard	OPT-WG-2412

Features access door for Propane tank storage.



48" Palo Fire Pit

- OPT-PAL48** Match Lit
- OPT-PAL48E110** 110V Plug & Play
- OPT-PAL48FSEN** Flame Sense Ignition

- » Dimensions: 48" x 29"
- » Height: 17"
- » Burning Area: 20" x 8" x 2"
- » Weight: 355 lbs.
- » BTU: 15,000
- » Suggested Fire Glass: 20 lbs.

OPTIONAL ACCESSORIES

Canvas Cover	OPT-CVR-4828
Stainless Steel Cover	OPT-RC1022
Glass Wind Guard	OPT-WG-2412


No door for Propane tank storage.

60" Palo Fire Pit

- OPT-PAL60** Match Lit
- OPT-PAL60E110** 110V Plug & Play
- OPT-PAL60FSEN** Flame Sense Ignition

- » Dimensions: 60" x 29"
- » Height: 17"
- » Burning Area: 32" x 8" x 2"
- » Weight: 495 lbs.
- » BTU: 25,000
- » Suggested Fire Glass: 30 lbs.

Canvas Cover	OPT-CVR-6028
Stainless Steel Cover	OPT-RC1022
Glass Wind Guard	OPT-WG-3612



GFRC Wood Grain Color Options

When ordering, specify the color by adding the color code to the end of the part number.

Example: Big Sur Fire Pit in Ivory = OPT-COR48-IVY



Vernon Fire Pit

- OPT-VRNSS** Match Lit
- OPT-VRNSSSE110** 110V Plug & Play
- OPT-VRNSSFSEN** Flame Sense Ignition

- » Dimensions: 86" x 27"
- » Height: 24"
- » Burning Area: 30" x 8" x 2"
- » Weight: 185 lbs.
- » BTU: 65,000
- » Suggested Fire Glass: 25 lbs.

OPTIONAL ACCESSORIES

Stainless Steel Cover	OPT-RC1022
Glass Wind Guard	OPT-WG-2412

No space for Propane tank storage.

Fire Pits & Fire Tables

- All Fire Pits Include Fire Pan, Burner, Key Valve, Key, Hoses, 1" Black Lava Rock.
- Electronic Ignition Units include a 110V Electronic Valve and Igniter Pilot pre-installed. Plug & Play ready with 3-prong plug.



78" Wood Grain Ivory Finish Shown

Almeda Collection

Powder Coated Top

- OPT-ALMPC78 Match Lit
- OPT-ALMPC78E110 110V Plug & Play
- OPT-ALMPC78FSEN Flame Sense Ignition

Wood Grain Concrete Top

- OPT-ALMWG78 Match Lit
- OPT-ALMWG78E110 110V Plug & Play
- OPT-ALMWG78FSEN Flame Sense Ignition

Smooth Concrete Top

- OPT-ALMGFRC78 Match Lit
- OPT-ALMGFRC78KIT 110V Plug & Play
- OPT-ALMGFRC7FSEN Flame Sense Ignition


- » Dimensions: 78" x 36"
- » Height: 30"
- » Burning Area: 48" x 10"
- » Weight: 455 lbs.
- » BTU: 65,000
- » Suggested Fire Glass: 50 lbs.

OPTIONAL ACCESSORIES

Canvas Cover	OPT-CVR-7836
Stainless Steel Cover	OPT-RC1250
Glass Wind Guard	OPT-WG-5214

Powder Coat Color Options

When ordering, specify the concrete color by adding the color code to the end of the part number — **Example:** 27" Brown Sedona Water Bowl = OPT-27RWO-BRN
The Outdoor Plus individually handcrafts all of the products shown here. Finishes are subject to slight texture/color variations.



48" Silver Vein Shown

Fire Pits & Fire Tables

- All Fire Pits Include Fire Pan, Burner, Key Valve, Key, Hoses, 1" Black Lava Rock.
- Electronic Ignition Units include a 110V Electronic Valve and Igniter Pilot pre-installed. Plug & Play ready with 3-prong plug.



30" Florence Fire Pit

- OPT-FL3015** Match Lit
- OPT-FL3015E110** 110V Plug & Play
- OPT-FL3015FSEN** Flame Sense Ignition

- » Diameter: 30"
- » Height: 15"
- » Burn Area Diameter: 22"
- » Weight: 280 lbs.
- » BTU: 65K
- » Suggested Fire Glass: 40 lbs.

OPTIONAL ACCESSORIES

Canvas Cover	OPT-CVR-30R
Stainless Steel Cover	OPT-23RC
Glass Wind Guard	OPT-WG-23

No door for Propane tank storage.



46" Florence Fire Pit

- OPT-FL4620** Match Lit
- OPT-FL4620EKIT** 110V Plug & Play
- OPT-FL4620FSEN** Flame Sense Ignition

- » Diameter: 46"
- » Height: 20"
- » Burn Area Diameter: 20"
- » Weight: 360 lbs.
- » BTU: 65K
- » Suggested Fire Glass: 40 lbs.

OPTIONAL ACCESSORIES

Canvas Cover	OPT-CVR-48R
Stainless Steel Cover	OPT-23RC
Glass Wind Guard	OPT-WG-23

No door for Propane tank storage.

GFRC Concrete Color Options

When ordering, specify the concrete color by adding the color code to the end of the part number — **Example:** OPT-27RWO-BRN
The Outdoor Plus individually handcrafts all of the products shown here. Finishes are subject to slight texture/color variations.

Black -BLK	Ash -ASH	Natural Gray -NGY	Gray -GRY	White Limestone -LIM	Chocolate -CHC	Chestnut -CST	Brown -BRN	Vanilla -VAN
Rustic Gray -RGR	Moss Stone -RMS	Rustic White -RWH	Coffee -RCF	Slate -MSL	Silver -MSV	Pearl -MPR	Bronze -MBR	Copper -MCP

Metallic Finishes and Rustic Finishes are available at an extra charge

Torch Accessories



TopLite Torch Stand - Natural Gas

OPT-TSTNDNG

- » Powder Coated Steel
- » Footprint: 18" x 18"
- » Torch to Torch Distance: 36"
- » Total Height: 78"
- » Gas Connection: 1/2"
- » Includes SS Whistle Free Hose

TopLite Torch Stand - Liquid Propane

OPT-TSTNDLP

- » Powder Coated Steel
- » Footprint: 18" x 18"
- » Torch to Torch Distance: 36"
- » Total Height: 78"
- » Gas Connection: 1/2"
- » Includes LP Regulator



Top Torch Column Mount

OPT-TTCM

- » Powder Coated Steel
- » Length/Width: 8"
- » Height: 8"
- » For TopTorches ONLY
- » NOT suitable with TopLite Torches



Stainless Steel Access Doors

- » Equipped with a Lock & Key Latch.
- » Brushed Finish.

Part Number	Door Dimensions	Outside Dimension	Depth
OPT-ADSS88	8" x 8"	10" x 10"	1.5"
OPT-ADSS1010	10" x 10"	12" x 12"	1.5"
OPT-ADSS1212	12" x 12"	14" x 14"	1.5"
OPT-ADSS1417	14" x 17"	16" x 19"	1.5"



Gas Timer & E-Stop

OPT-ESTOPTM

- » Compatible with Natural Gas (NG) or Liquid Propane (LP)
- » 1-Hour Max
- » Outdoor Rated
- » 4X Gas Entries (½")
- » CSA & ANSI Approved



Gas Timer & E-Stop w/ Mounting Plate

OPT-ESTOPTMPL

- » Compatible with Natural Gas (NG) or Liquid Propane (LP)
- » 1-Hour Max
- » Outdoor Rated
- » 4X Gas Entries (½")
- » Top Width: 8.5"
- » Bottom Width: 5.75"
- » Height: 5"
- » CSA & ANSI Approved

LEGEND: **M** = Uses manifold, Adds 5" in height); **2R** = 2 Rings ; **3R** = 3 Rings ; **4R** = 4 Rings)



Triple 'S' Stainless Bullet Burner

Part Number	Size	BTU	Inlet
OPT-B8SS	8"	40K	½"
OPT-B12SS	12"	60K	½"
OPT-B18SS	18"	90K	½"
OPT-B24SS	24"	120K	½"
OPT-B30SS	30"	150K	½"
OPT-B36SS	36"	240K	¾"
OPT-B48SS	48"	320K	¾"



Round Stainless Bullet Burner

Part Number	Size	BTU	Inlet
OPT-BRDSS8	8"	45K	½"
OPT-BRDSS12	12"	65K	½"
OPT-BRDSS18	18" (2R)	160K	½"
OPT-BRDSS24	24" (2R)	190K	½"
OPT-BRDSS30	30" (3R)	330K	½"
OPT-BRDSS36	36" (3R)	380K	¾"
OPT-BRDSS48	48" (4R, M)	630K	¾"



Square Stainless Bullet Burner

Part Number	Size	BTU	Inlet
OPT-BSQSS8	8"	55K	½"
OPT-BSQSS12	12"	80K	½"
OPT-BSQSS18	18" (2R)	20K0	½"
OPT-BSQSS24	24" (2R)	240K	½"
OPT-BSQSS30	30" (3R)	420K	½"
OPT-BSQSS36	36" (3R)	480K	¾"
OPT-BSQSS48	48" (4R, M)	80K0	¾"



Linear Stainless Bullet Burner

Part Number	Size	BTU	Inlet
OPT-B18SST	18"	30K	½"
OPT-B24SST	24"	40K	½"
OPT-B30SST	30"	50K	½"
OPT-B36SST	36"	60K	½"
OPT-B48SST	48"	80K	½"
OPT-B60SST	60"	100K	½"
OPT-B72SST	72"	120K	½"
OPT-B84SST	84" (M)	140K	¾"
OPT-B96SST	96" (M)	160K	¾"




'H' Stainless Bullet Burner

Part Number	Size	BTU	Inlet
OPT-B18SSH	18" x 6"	70K	½"
OPT-B24SSH	24" x 6"	90K	½"
OPT-B30SSH	30" x 6"	110K	½"
OPT-B36SSH	36" x 6"	130K	½"
OPT-B48SSH	48" x 6"	170K	½"
OPT-B60SSH	60" x 6" (M)	210K	¾"
OPT-B72SSH	72" x 6" (M)	250K	¾"




Switchback Stainless Bullet Burner

Part Number	Size	BTU	Inlet
OPT-BSWSS18	18" x 6"	60K	½"
OPT-BSWSS24	24" x 6"	75K	½"
OPT-BSWSS30	30" x 6"	90K	½"
OPT-BSWSS36	36" x 6"	105K	½"
OPT-BSWSS48	48" x 6"	140K	½"
OPT-BSWSS60	60" x 6" (M)	170K	¾"
OPT-BSWSS72	72" x 6" (M)	200K	¾"



Rectangle Stainless Bullet Burner

Part Number	Size	BTU	Inlet
OPT-BRTSS1812	18" x 12"	130K	½"
OPT-BRTSS2412	24" x 12"	160K	½"
OPT-BRTSS3012	30" x 12"	190K	½"
OPT-BRTSS3612	36" x 12"	220K	¾"
OPT-BRTSS4812	48" x 12" (M)	280K	¾"
OPT-BRTSS6012	60" x 12" (M)	340K	¾"
OPT-BRTSS7212	72" x 12" (M)	400K	¾"



Double Rectangle Stainless Bullet Burner

Part Number	Size	BTU	Inlet
OPT-BDRTSS1812	18" x 12"	190K	½"
OPT-BDRTSS2412	24" x 12"	240K	½"
OPT-BDRTSS3012	30" x 12"	290K	½"
OPT-BDRTSS3612	36" x 12"	340K	¾"
OPT-BDRTSS4812	48" x 12"	440K	¾"
OPT-BDRTSS6012	60" x 12" (M)	540K	¾"
OPT-BDRTSS7212	72" x 12" (M)	640K	¾"



Racetrack Stainless Bullet Burner

Part Number	Size	BTU	Inlet
OPT-BRTSS186	18" x 6"	70K	½"
OPT-BRTSS246	24" x 6"	90K	½"
OPT-BRTSS306	30" x 6"	110K	½"
OPT-BRTSS366	36" x 6"	130K	½"
OPT-BRTSS486	48" x 6"	170K	½"
OPT-BRTSS606	60" x 6" (M)	210K	¾"
OPT-BRTSS726	72" x 6" (M)	250K	¾"



8" Bullet Burner in Action



Flat Pan & SS Bullet Burner Kits Patented

- 12V & 110V Electronic Ignition Kits Require 10" Clearance Below the Pan
- 110V Ignition includes 3-prong plug
- Lifetime Warranty on all Burners

LEGEND: M = Uses manifold, Adds 5" in height) ; 2R = 2 Rings ; 3R = 3 Rings ; 4R = 4 Rings)



Round Flat Pan & SS Triple S Bullet Burner

ITEM	MATCH LIT	ELECTRONIC 12V CSA CERTIFIED	ELECTRONIC 110V CSA CERTIFIED	FLAME SENSE IGNITION	BURNER SIZE	GAS INLET	BTU
18" Pan Kit - A	OPT-BFP8RSS	OPT-BFP8RSSE12	OPT-BFP8RSSE110	OPT-BFP8RSSFSEN	8"	½"	40K
18" Pan Kit - B	OPT-BFP12RSS	OPT-BFP12RSSE12	OPT-BFP12RSSE110	OPT-BFP12RSSFSEN	12"	½"	60K
24" Pan Kit	OPT-BFP18RSS	OPT-BFP18RSSE12	OPT-BFP18RSSE110	OPT-BFP18RSSFSEN	18"	½"	90K
30" Pan Kit	OPT-BFP24RSS	OPT-BFP24RSSE12	OPT-BFP24RSSE110	OPT-BFP24RSSFSEN	24"	¾"	120K
36" Pan Kit	OPT-BFP30RSS	OPT-BFP30RSSE12	OPT-BFP30RSSE110	OPT-BFP30RSSFSEN	30"	¾"	150K
48" Pan Kit	OPT-BFP36RSS	OPT-BFP36RSSE12	OPT-BFP36RSSE110	N/A	36"	¾"	240K
60" Pan Kit	OPT-BFP48RSS	OPT-BFP48RSSE12	OPT-BFP48RSSE110	N/A	48"	¾"	320K




Round Flat Pan & SS Round Bullet Burner

ITEM	MATCH LIT	ELECTRONIC 12V CSA CERTIFIED	ELECTRONIC 110V CSA CERTIFIED	FLAME SENSE IGNITION	BURNER SIZE	GAS INLET	BTU
18" Pan Kit - A	OPT-BFP8RDSS	OPT-BFP8RDSSE12	OPT-BFP8RDSSE110	OPT-BFP8RDSSEFSEN	8"	½"	45K
18" Pan Kit - B	OPT-BFP12RDSS	OPT-BFP12RDSSE12	OPT-BFP12RDSSE110	OPT-BFP12RDSSEFSEN	12"	½"	65K
24" Pan Kit	OPT-BFP18RDSS	OPT-BFP18RDSSE12	OPT-BFP18RDSSE110	OPT-BFP18RDSSEFSEN	18" (2R)	½"	160K
30" Pan Kit	OPT-BFP24RDSS	OPT-BFP24RDSSE12	OPT-BFP24RDSSE110	OPT-BFP24RDSSEFSEN	24" (2R)	¾"	190K
36" Pan Kit	OPT-BFP30RDSS	OPT-BFP30RDSSE12	OPT-BFP30RDSSE110	OPT-BFP30RDSSEFSEN	30" (3R)	¾"	330K
48" Pan Kit	OPT-BFP36RDSS	OPT-BFP36RDSSE12	OPT-BFP36RDSSE110	N/A	36" (3R)	¾"	380K
60" Pan Kit	OPT-BFP48RDSS	OPT-BFP48RDSSE12	OPT-BFP48RDSSE110	N/A	48" (4R, M)	¾"	630K

Flat Pan & SS Bullet Burner Kits Patented

- 12V & 110V Electronic Ignition Kits Require 10" Clearance Below the Pan
- 110V Ignition includes 3-prong plug
- Lifetime Warranty on all Burners



Square Flat Pan & SS Square Bullet Burner

ITEM	MATCH LIT	ELECTRONIC 12V CSA CERTIFIED	ELECTRONIC 110V CSA CERTIFIED	FLAME SENSE IGNITION	BURNER SIZE	GAS INLET	BTU
18" Pan Kit - A	OPT-BFP8SQSS	OPT-BFP8SQSSE12	OPT-BFP8SQSSE110	OPT-BFP8SQSSFSEN	8"	½"	55K
18" Pan Kit - B	OPT-BFP12SQSS	OPT-BFP12SQSSE12	OPT-BFP12SQSSE110	OPT-BFP12SQSSFSEN	12"	½"	80K
24" Pan Kit	OPT-BFP18SQSS	OPT-BFP18SQSSE12	OPT-BFP18SQSSE110	OPT-BFP18SQSSFSEN	18" (2R)	½"	20K0
30" Pan Kit	OPT-BFP24SQSS	OPT-BFP24SQSSE12	OPT-BFP24SQSSE110	OPT-BFP24SQSSFSEN	24" (2R)	¾"	240K
36" Pan Kit	OPT-BFP30SQSS	OPT-BFP30SQSSE12	OPT-BFP30SQSSE110	OPT-BFP30SQSSFSEN	30" (3R)	¾"	420K
48" Pan Kit	OPT-BFP36SQSS	OPT-BFP36SQSSE12	OPT-BFP36SQSSE110	N/A	36" (3R)	¾"	480K
60" Pan Kit	OPT-BFP48SQSS	OPT-BFP48SQSSE12	OPT-BFP48SQSSE110	N/A	48" (4R, M)	¾"	80K0



Square Flat Pan & SS Triple S Bullet Burner

ITEM	MATCH LIT	ELECTRONIC 12V CSA CERTIFIED	ELECTRONIC 110V CSA CERTIFIED	FLAME SENSE IGNITION	BURNER SIZE	GAS INLET	BTU
18" Pan Kit - A	OPT-BFP8SSS	OPT-BFP8SSSE12	OPT-BFP8SSSE110	OPT-BFP8SSSFSEN	8"	½"	40K
18" Pan Kit - B	OPT-BFP12SSS	OPT-BFP12SSSE12	OPT-BFP12SSSE110	OPT-BFP12SSSFSEN	12"	½"	60K
24" Pan Kit	OPT-BFP18SSS	OPT-BFP18SSSE12	OPT-BFP18SSSE110	OPT-BFP18SSSFSEN	18"	½"	90K
30" Pan Kit	OPT-BFP24SSS	OPT-BFP24SSSE12	OPT-BFP24SSSE110	OPT-BFP24SSSFSEN	24"	¾"	120K
36" Pan Kit	OPT-BFP30SSS	OPT-BFP30SSSE12	OPT-BFP30SSSE110	OPT-BFP30SSSFSEN	30"	¾"	150K
48" Pan Kit	OPT-BFP36SSS	OPT-BFP36SSSE12	OPT-BFP36SSSE110	N/A	36"	¾"	240K
60" Pan Kit	OPT-BFP48SSS	OPT-BFP48SSSE12	OPT-BFP48SSSE110	N/A	48"	¾"	320K

Flat Pan & SS Bullet Burner Kits Patented

- 12V & 110V Electronic Ignition Kits Require 10" Clearance Below the Pan
- 110V Ignition includes 3-prong plug
- Lifetime Warranty on all Burners



Rectangular Flat Pan & SS Linear Bullet Burner

ITEM	MATCH LIT	ELECTRONIC 12V CSA CERTIFIED	ELECTRONIC 110V CSA CERTIFIED	FLAME SENSE IGNITION	BURNER SIZE	GAS INLET	BTU
30"x8" Pan Kit	OPT-BFP24RTSS	OPT-BFP24RTSSE12	OPT-BFP24RTSSE110	OPT-BFP24RTSSFSEN	24"	½"	40K
42"x8" Pan Kit	OPT-BFP36RTSS	OPT-BFP36RTSSE12	OPT-BFP36RTSSE110	OPT-BFP36RTSSFSEN	36"	½"	60K
60"x8" Pan Kit	OPT-BFP48RTSS	OPT-BFP48RTSSE12	OPT-BFP48RTSSE110	OPT-BFP48RTSSFSEN	48"	½"	80K
72"x8" Pan Kit	OPT-BFP60RTSS	OPT-BFP60RTSSE12	OPT-BFP60RTSSE110	OPT-BFP60RTSSFSEN	60"	¾"	100K
84"x8" Pan Kit	OPT-BFP72RTSS	OPT-BFP72RTSSE12	OPT-BFP72RTSSE110	OPT-BFP72RTSSFSEN	72"	¾"	120K
96"x8" Pan Kit	OPT-BFP84RTSS	OPT-BFP84RTSSE12	OPT-BFP84RTSSE110	N/A	84"	¾"	140K



Rectangular Flat Pan & SS 'H' Bullet Burner

ITEM	MATCH LIT	ELECTRONIC 12V CSA CERTIFIED	ELECTRONIC 110V CSA CERTIFIED	FLAME SENSE IGNITION	BURNER SIZE	GAS INLET	BTU
24"x12" Pan Kit	OPT-BFP1224RSS	OPT-BFP1224RSSE12	OPT-BFP1224RSSE110	OPT-BFP1224RSSFSEN	18"x6"	½"	70K
36"x12" Pan Kit	OPT-BFP1236RSS	OPT-BFP1236RSSE12	OPT-BFP1236RSSE110	OPT-BFP1236RSSFSEN	24"x6"	½"	90K
48"x12" Pan Kit	OPT-BFP1248RSS	OPT-BFP1248RSSE12	OPT-BFP1248RSSE110	OPT-BFP1248RSSFSEN	36"x6"	¾"	130K
60"x12" Pan Kit	OPT-BFP1260RSS	OPT-BFP1260RSSE12	OPT-BFP1260RSSE110	OPT-BFP1260RSSFSEN	48"x6"	¾"	170K
72"x12" Pan Kit	OPT-BFP1272RSS	OPT-BFP1272RSSE12	OPT-BFP1272RSSE110	OPT-BFP1272RSSFSEN	60"x6" (M)	¾"	210K
84"x12" Pan Kit	OPT-BFP1284RSS	OPT-BFP1284RSSE12	OPT-BFP1284RSSE110	N/A	72"x6" (M)	¾"	250K
96"x12" Pan Kit	OPT-BFP1296RSS	OPT-BFP1296RSSE12	OPT-BFP1296RSSE110	N/A	84"x6" (M)	¾"	290K



Rectangular Flat Pan & SS Switchback Bullet Burner

ITEM	MATCH LIT	ELECTRONIC 12V CSA CERTIFIED	ELECTRONIC 110V CSA CERTIFIED	FLAME SENSE IGNITION	BURNER SIZE	GAS INLET	BTU
24"x12" Pan Kit	OPT-BFP1224SBSS	OPT-BFP1224SBSSSE12	OPT-BFP1224SBSSSE110	OPT-BFP1224SBSSFSEN	18"x6"	½"	70K
36"x12" Pan Kit	OPT-BFP1236SBSS	OPT-BFP1236SBSSSE12	OPT-BFP1236SBSSSE110	OPT-BFP1236SBSSFSEN	24"x6"	½"	90K
48"x12" Pan Kit	OPT-BFP1248SBSS	OPT-BFP1248SBSSSE12	OPT-BFP1248SBSSSE110	OPT-BFP1248SBSSFSEN	36"x6"	¾"	130K
60"x12" Pan Kit	OPT-BFP1260SBSS	OPT-BFP1260SBSSSE12	OPT-BFP1260SBSSSE110	OPT-BFP1260SBSSFSEN	48"x6"	¾"	170K
72"x12" Pan Kit	OPT-BFP1272SBSS	OPT-BFP1272SBSSSE12	OPT-BFP1272SBSSSE110	OPT-BFP1272SBSSFSEN	60"x6" (M)	¾"	210K
84"x12" Pan Kit	OPT-BFP1284SBSS	OPT-BFP1284SBSSSE12	OPT-BFP1284SBSSSE110	N/A	72"x6" (M)	¾"	250K
96"x12" Pan Kit	OPT-BFP1296SBSS	OPT-BFP1296SBSSSE12	OPT-BFP1296SBSSSE110	N/A	84"x6" (M)	¾"	290K

Drop In Pan & SS Bullet Burner Kits Patented

- 12V & 110V Electronic Ignition Kits Require 10" Clearance Below the Pan
- 110V Ignition includes 3-prong plug
- Standard 2" Deep & 1" Lip
- Lifetime Warranty on all Burners



Round Drop In & SS Triple S Bullet Burner

ITEM	MATCH LIT	ELECTRONIC 12V CSA CERTIFIED	ELECTRONIC 110V CSA CERTIFIED	FLAME SENSE IGNITION	BURNER SIZE	GAS INLET	BTU
13" Pan Kit	OPT-BP13RDSS	OPT-BP13RDSSE12	OPT-BP13RDSSE110	OPT-BP13RDSSFSEN	8"	½"	40K
19" Pan Kit	OPT-BP19RDSS	OPT-BP19RDSSE12	OPT-BP19RDSSE110	OPT-BP19RDSSFSEN	12"	½"	60K
25" Pan Kit	OPT-BP25RDSS	OPT-BP25RDSSE12	OPT-BP25RDSSE110	OPT-BP25RDSSFSEN	18"	½"	90K
31" Pan Kit	OPT-BP31RDSS	OPT-BP31RDSSE12	OPT-BP31RDSSE110	OPT-BP31RDSSFSEN	24"	¾"	120K
37" Pan Kit	OPT-BP37RDSS	OPT-BP37RDSSE12	OPT-BP37RDSSE110	OPT-BP37RDSSFSEN	30"	¾"	150K
43" Pan Kit	OPT-BP43RDSS	OPT-BP43RDSSE12	OPT-BP43RDSSE110	N/A	36"	¾"	240K



Round Drop In & SS Round Bullet Burner

ITEM	MATCH LIT	ELECTRONIC 12V CSA CERTIFIED	ELECTRONIC 110V CSA CERTIFIED	FLAME SENSE IGNITION	BURNER SIZE	GAS INLET	BTU
13" Pan Kit	OPT-BP13RRSS	OPT-BP13RRSSE12	OPT-BP13RRSSE110	OPT-BP13RRSSFSEN	8"	½"	45K
19" Pan Kit	OPT-BP19RRSS	OPT-BP19RRSSE12	OPT-BP19RRSSE110	OPT-BP19RRSSFSEN	12"	½"	65K
25" Pan Kit	OPT-BP25RRSS	OPT-BP25RRSSE12	OPT-BP25RRSSE110	OPT-BP25RRSSFSEN	18" (2R)	½"	160K
31" Pan Kit	OPT-BP31RRSS	OPT-BP31RRSSE12	OPT-BP31RRSSE110	OPT-BP31RRSSFSEN	24" (2R)	¾"	190K
37" Pan Kit	OPT-BP37RRSS	OPT-BP37RRSSE12	OPT-BP37RRSSE110	OPT-BP37RRSSFSEN	30" (3R)	¾"	330K
43" Pan Kit	OPT-BP43RRSS	OPT-BP43RRSSE12	OPT-BP43RRSSE110	N/A	36" (3R)	¾"	380K

Drop In Pan & SS Bullet Burner Kits Patented

- 12V & 110V Electronic Ignition Kits Require 10" Clearance Below the Pan
- 110V Ignition includes 3-prong plug
- Standard 2" Deep & 1" Lip
- Lifetime Warranty on all Burners

LEGEND: **M** = Uses manifold, Adds 5" in height) ; **2R** = 2 Rings ; **3R** = 3 Rings ; **4R** = 4 Rings)



Square Drop In & SS Triple S Bullet Burner

ITEM	MATCH LIT	ELECTRONIC 12V CSA CERTIFIED	ELECTRONIC 110V CSA CERTIFIED	FLAME SENSE IGNITION	BURNER SIZE	GAS INLET	BTU
12" Pan Kit	OPT-BP12SDSS	OPT-BP12SDSSE12	OPT-BP12SDSSE110	OPT-BP12SDSSFSEN	8"	½"	40K
18" Pan Kit	OPT-BP18SDSS	OPT-BP18SDSSE12	OPT-BP18SDSSE110	OPT-BP18SDSSFSEN	12"	½"	60K
24" Pan Kit	OPT-BP24SDSS	OPT-BP24SDSSE12	OPT-BP24SDSSE110	OPT-BP24SDSSFSEN	18"	½"	90K
30" Pan Kit	OPT-BP30SDSS	OPT-BP30SDSSE12	OPT-BP30SDSSE110	OPT-BP30SDSSFSEN	24"	¾"	120K
36" Pan Kit	OPT-BP36SDSS	OPT-BP36SDSSE12	OPT-BP36SDSSE110	OPT-BP36SDSSFSEN	30"	¾"	150K
48" Pan Kit	OPT-BP48SDSS	OPT-BP48SDSSE12	OPT-BP48SDSSE110	N/A	36"	¾"	240K



Square Drop In & SS Square Bullet Burner

ITEM	MATCH LIT	ELECTRONIC 12V CSA CERTIFIED	ELECTRONIC 110V CSA CERTIFIED	FLAME SENSE IGNITION	BURNER SIZE	GAS INLET	BTU
12" Pan Kit	OPT-BP12SQDSS	OPT-BP12SQDSSE12	OPT-BP12SQDSSE110	OPT-BP12SQDSSFSEN	8"	½"	55K
18" Pan Kit	OPT-BP18SQDSS	OPT-BP18SQDSSE12	OPT-BP18SQDSSE110	OPT-BP18SQDSSFSEN	12"	½"	80K
24" Pan Kit	OPT-BP24SQDSS	OPT-BP24SQDSSE12	OPT-BP24SQDSSE110	OPT-BP24SQDSSFSEN	18" (2R)	½"	20K0
30" Pan Kit	OPT-BP30SQDSS	OPT-BP30SQDSSE12	OPT-BP30SQDSSE110	OPT-BP30SQDSSFSEN	24" (2R)	¾"	240K
36" Pan Kit	OPT-BP36SQDSS	OPT-BP36SQDSSE12	OPT-BP36SQDSSE110	OPT-BP36SQDSSFSEN	30" (3R)	¾"	420K
48" Pan Kit	OPT-BP48SQDSS	OPT-BP48SQDSSE12	OPT-BP48SQDSSE110	N/A	36" (3R)	¾"	480K

Drop In Pan & SS Bullet Burner Kits Patented

- 12V & 110V Electronic Ignition Kits Require 10" Clearance Below the Pan
- 110V Ignition includes 3-prong plug
- Standard 2" Deep & 1" Lip
- Lifetime Warranty on all Burners



Rectangular Drop In & SS Linear Bullet Burner

ITEM	MATCH LIT	ELECTRONIC 12V CSA CERTIFIED	ELECTRONIC 110V CSA CERTIFIED	FLAME SENSE IGNITION	BURNER SIZE	GAS INLET	BTU
24"x8" Pan Kit	OPT-BP824RDSS	OPT-BP824RDSSE12	OPT-BP824RDSSE110	OPT-BP824RDSSE110	18"	½"	30K
36"x8" Pan Kit	OPT-BP836RDSS	OPT-BP836RDSSE12	OPT-BP836RDSSE110	OPT-BP836RDSSE110	24"	½"	40K
48"x8" Pan Kit	OPT-BP848RDSS	OPT-BP848RDSSE12	OPT-BP848RDSSE110	OPT-BP848RDSSE110	36"	½"	60K
60"x8" Pan Kit	OPT-BP860RDSS	OPT-BP860RDSSE12	OPT-BP860RDSSE110	OPT-BP860RDSSE110	48"	½"	80K
72"x8" Pan Kit	OPT-BP872RDSS	OPT-BP872RDSSE12	OPT-BP872RDSSE110	OPT-BP872RDSSE110	60"	¾"	100K
84"x8" Pan Kit	OPT-BP884RDSS	OPT-BP884RDSSE12	OPT-BP884RDSSE110	OPT-BP884RDSSE110	72"	¾"	120K
96"x8" Pan Kit	OPT-BP896RDSS	OPT-BP896RDSSE12	OPT-BP896RDSSE110	N/A	84"	¾"	140K



Rectangular Drop In & SS 'H' Bullet Burner

ITEM	MATCH LIT	ELECTRONIC 12V CSA CERTIFIED	ELECTRONIC 110V CSA CERTIFIED	FLAME SENSE IGNITION	BURNER SIZE	GAS INLET	BTU
24"x12" Pan Kit	OPT-BP1224RDSS	OPT-BP1224RDSSE12	OPT-BP1224RDSSE110	OPT-BP1224RDSSE110	18"x6"	½"	70,000
36"x12" Pan Kit	OPT-BP1236RDSS	OPT-BP1236RDSSE12	OPT-BP1236RDSSE110	OPT-BP1236RDSSE110	24"x6"	½"	90,000
48"x12" Pan Kit	OPT-BP1248RDSS	OPT-BP1248RDSSE12	OPT-BP1248RDSSE110	OPT-BP1248RDSSE110	36"x6"	¾"	130,000
60"x12" Pan Kit	OPT-BP1260RDSS	OPT-BP1260RDSSE12	OPT-BP1260RDSSE110	OPT-BP1260RDSSE110	48"x6"	¾"	170,000
72"x12" Pan Kit	OPT-BP1272RDSS	OPT-BP1272RDSSE12	OPT-BP1272RDSSE110	OPT-BP1272RDSSE110	60"x6" (M)	¾"	210,000
84"x12" Pan Kit	OPT-BP1284RDSS	OPT-BP1284RDSSE12	OPT-BP1284RDSSE110	N/A	72"x6" (M)	¾"	250,000
96"x12" Pan Kit	OPT-BP1296RDSS	OPT-BP1296RDSSE12	OPT-BP1296RDSSE110	N/A	84"x6" (M)	¾"	290,000



Rectangular Drop In & SS Switchback Bullet Burner

ITEM	MATCH LIT	ELECTRONIC 12V CSA CERTIFIED	ELECTRONIC 110V CSA CERTIFIED	FLAME SENSE IGNITION	BURNER SIZE	GAS INLET	BTU
24"x12" Pan Kit	OPT-BP1224SBDSS	OPT-BP1224SBDSE12	OPT-BP1224SBDSE110	OPT-BP1224SBDSE110	18"x6"	½"	70,000
36"x12" Pan Kit	OPT-BP1236SBDSS	OPT-BP1236SBDSE12	OPT-BP1236SBDSE110	OPT-BP1236SBDSE110	24"x6"	½"	90,000
48"x12" Pan Kit	OPT-BP1248SBDSS	OPT-BP1248SBDSE12	OPT-BP1248SBDSE110	OPT-BP1248SBDSE110	36"x6"	¾"	130,000
60"x12" Pan Kit	OPT-BP1260SBDSS	OPT-BP1260SBDSE12	OPT-BP1260SBDSE110	OPT-BP1260SBDSE110	48"x6"	¾"	170,000
72"x12" Pan Kit	OPT-BP1272SBDSS	OPT-BP1272SBDSE12	OPT-BP1272SBDSE110	OPT-BP1272SBDSE110	60"x6" (M)	¾"	210,000
84"x12" Pan Kit	OPT-BP1284SBDSS	OPT-BP1284SBDSE12	OPT-BP1284SBDSE110	N/A	72"x6" (M)	¾"	250,000
96"x12" Pan Kit	OPT-BP1296SBDSS	OPT-BP1296SBDSE12	OPT-BP1296SBDSE110	N/A	84"x6" (M)	¾"	290,000

Flat Pan & SS Burner Kits

- 12V & 110V Electronic Ignition Kits Require 10" Clearance Below the Pan
- 110V Ignition includes 3-prong plug
- Lifetime Warranty on all Burners

LEGEND: M = Uses manifold, Adds 5" in height) ; 2R = 2 Rings ; 3R = 3 Rings ; 4R = 4 Rings)



Round Flat Pan & Round SS Burner

ITEM	MATCH LIT	ELECTRONIC 12V CSA CERTIFIED	ELECTRONIC 110V CSA CERTIFIED	FLAME SENSE IGNITION	BURNER SIZE	GAS INLET	BTU
12" Pan Kit	OPT-110012BP	OPT-110012BPE12	OPT-110012BPE110	OPT-110012BPFSEN	6"	½"	35,000
18" Pan Kit	OPT-110018BP	OPT-110018BPE12	OPT-110018BPE110	OPT-110018BPFSEN	12"	½"	65,000
24" Pan Kit	OPT-110024BP	OPT-110024BPE12	OPT-110024BPE110	OPT-110024BPFSEN	18" (2R)	½"	160,000
30" Pan Kit	OPT-110030BP	OPT-110030BPE12	OPT-110030BPE110	OPT-110030BPFSEN	24" (2R)	½"	190,000
36" Pan Kit	OPT-110036BP	OPT-110036BPE12	OPT-110036BPE110	OPT-110036BPFSEN	30" (3R)	¾"	330,000
42" Pan Kit	OPT-110042BP	OPT-110042BPE12	OPT-110042BPE110	OPT-110042BPFSEN	36" (3R)	¾"	380,000
48" Pan Kit	OPT-110048BP	OPT-110048BPE12	OPT-110048BPE110	OPT-110048BPFSEN	36" (3R)	¾"	380,000



Round Flat Pan & SS Lotus Burner

ITEM	MATCH LIT	ELECTRONIC 12V CSA CERTIFIED	ELECTRONIC 110V CSA CERTIFIED	FLAME SENSE IGNITION	BURNER SIZE	GAS INLET	BTU
18" Pan Kit	OPT-FRLB18	OPT-FRLB18E12	OPT-FRLB18E110	OPT-FRLB18FSEN	12"	½"	60k
24" Pan Kit	OPT-FRLB24	OPT-FRLB24E12	OPT-FRLB24E110	OPT-FRLB24FSEN	18"	½"	120K
30" Pan Kit	OPT-FRLB30	OPT-FRLB30E12	OPT-FRLB30E110	OPT-FRLB30FSEN	24"	½"	190K
36" Pan Kit	OPT-FRLB36	OPT-FRLB36E12	OPT-FRLB36E110	OPT-FRLB36FSEN	30"	¾"	260K
42" Pan Kit	OPT-FRLB42	OPT-FRLB42E12	OPT-FRLB42E110	OPT-FRLB42FSEN	36"	¾"	340K
48" Pan Kit	OPT-FRLB48	OPT-FRLB48E12	OPT-FRLB48E110	OPT-FRLB48FSEN	36"	¾"	340K



Round Flat Pan & SS Triple 'S' Burner

ITEM	MATCH LIT	ELECTRONIC 12V CSA CERTIFIED	ELECTRONIC 110V CSA CERTIFIED	FLAME SENSE IGNITION	BURNER SIZE	GAS INLET	BTU
18" Pan Kit	OPT-F3518	OPT-F3518E12	OPT-F3518E110	OPT-F3518FSEN	12"	½"	60
24" Pan Kit	OPT-F3524	OPT-F3524E12	OPT-F3524E110	OPT-F3524FSEN	18"	½"	110K
30" Pan Kit	OPT-F3530	OPT-F3530E12	OPT-F3530E110	OPT-F3530FSEN	24"	½"	150K
36" Pan Kit	OPT-F3536	OPT-F3536E12	OPT-F3536E110	OPT-F3536FSEN	30"	¾"	190K
42" Pan Kit	OPT-F3542	OPT-F3542E12	OPT-F3542E110	OPT-F3542FSEN	30"	¾"	190K
48" Pan Kit	OPT-F3548	OPT-F3548E12	OPT-F3548E110	OPT-F3548FSEN	36"	¾"	240K

Flat Pan & SS Burner Kits

- 12V & 110V Electronic Ignition Kits Require 10" Clearance Below the Pan
- 110V Ignition includes 3-prong plug
- Lifetime Warranty on all Burners



Square Flat Pan & Square SS Burner

ITEM	MATCH LIT	ELECTRONIC 12V CSA CERTIFIED	ELECTRONIC 110V CSA CERTIFIED	FLAME SENSE IGNITION	BURNER SIZE	GAS INLET	BTU
16.5" Pan Kit	OPT-999BP16	OPT-999BP16E12	OPT-999BP16E110	OPT-999BP16FSEN	12"	½"	65K
18" Pan Kit	OPT-999BP18	OPT-999BP18E12	OPT-999BP18E110	OPT-999BP18FSEN	12"	½"	90K
24" Pan Kit	OPT-999BP24	OPT-999BP24E12	OPT-999BP24E110	OPT-999BP24FSEN	18" (2R)	½"	160K
30" Pan Kit	OPT-999BP30	OPT-999BP30E12	OPT-999BP30E110	OPT-999BP30FSEN	24" (2R)	½"	190K
36" Pan Kit	OPT-999BP36	OPT-999BP36E12	OPT-999BP36E110	OPT-999BP36FSEN	30" (3R)	¾"	310K
48" Pan Kit	OPT-999BP48	OPT-999BP48E12	OPT-999BP48E110	OPT-999BP48FSEN	36" (3R)	¾"	375K



Square Flat Pan & SS Lotus Burner

ITEM	MATCH LIT	ELECTRONIC 12V CSA CERTIFIED	ELECTRONIC 110V CSA CERTIFIED	FLAME SENSE IGNITION	BURNER SIZE	GAS INLET	BTU
16.5" Pan Kit	OPT-FS3516	OPT-FS3516E12	OPT-FS3516E110	OPT-FS3516FSEN	12"	½"	90K
18" Pan Kit	OPT-FS3518	OPT-FS3518E12	OPT-FS3518E110	OPT-FS3518FSEN	12"	½"	90K
24" Pan Kit	OPT-FS3524	OPT-FS3524E12	OPT-FS3524E110	OPT-FS3524FSEN	18"	½"	115K
30" Pan Kit	OPT-FS3530	OPT-FS3530E12	OPT-FS3530E110	OPT-FS3530FSEN	24"	½"	175K
36" Pan Kit	OPT-FS3536	OPT-FS3536E12	OPT-FS3536E110	OPT-FS3536FSEN	30"	¾"	220K
48" Pan Kit	OPT-FS3548	OPT-FS3548E12	OPT-FS3548E110	OPT-FS3548FSEN	36"	¾"	265K



Square Flat Pan & SS Triple 'S' Burner

ITEM	MATCH LIT	ELECTRONIC 12V CSA CERTIFIED	ELECTRONIC 110V CSA CERTIFIED	FLAME SENSE IGNITION	BURNER SIZE	GAS INLET	BTU
16.5" Pan Kit	OPT-FSLB16	OPT-FSLB16E12	OPT-FSLB16E110	OPT-FSLB16FSEN	12"	½"	90K
18" Pan Kit	OPT-FSLB18	OPT-FSLB18E12	OPT-FSLB18E110	OPT-FSLB18FSEN	12"	½"	90K
24" Pan Kit	OPT-FSLB24	OPT-FSLB24E12	OPT-FSLB24E110	OPT-FSLB24FSEN	18"	½"	110K
30" Pan Kit	OPT-FSLB30	OPT-FSLB30E12	OPT-FSLB30E110	OPT-FSLB30FSEN	24"	½"	150K
36" Pan Kit	OPT-FSLB36	OPT-FSLB36E12	OPT-FSLB36E110	OPT-FSLB36FSEN	30"	¾"	190K
48" Pan Kit	OPT-FSLB48	OPT-FSLB48E12	OPT-FSLB48E110	OPT-FSLB48FSEN	36"	¾"	240K

Flat Pan & SS Burner Kits

- 12V & 110V Electronic Ignition Kits Require 10" Clearance Below the Pan
- 110V Ignition includes 3-prong plug
- Lifetime Warranty on all Burners

LEGEND: **M** = Uses manifold, Adds 5" in height); **2R** = 2 Rings ; **3R** = 3 Rings ; **4R** = 4 Rings)



Rectangular Flat Pan & SS Linear Burner

ITEM	MATCH LIT	ELECTRONIC 12V CSA CERTIFIED	ELECTRONIC 110V CSA CERTIFIED	FLAME SENSE IGNITION	BURNER SIZE	GAS INLET	BTU
24" x 6" Pan Kit	OPT-REFS624	OPT-REFS624E12	OPT-REFS624E110	OPT-REFS624FSEN	18"	½"	30K
30" x 6" Pan Kit	OPT-REFS630	OPT-REFS630E12	OPT-REFS630E110	OPT-REFS630FSEN	24"	½"	40K
36" x 6" Pan Kit	OPT-REFS636	OPT-REFS636E12	OPT-REFS636E110	OPT-REFS636FSEN	30"	½"	50K
42" x 6" Pan Kit	OPT-REFS642	OPT-REFS642E12	OPT-REFS642E110	OPT-REFS642FSEN	36"	½"	60K
48" x 6" Pan Kit	OPT-REFS648	OPT-REFS648E12	OPT-REFS648E110	OPT-REFS648FSEN	42"	½"	70K
24" x 8" Pan Kit	OPT-REFS824	OPT-REFS824E12	OPT-REFS824E110	OPT-REFS824FSEN	18"	½"	30K
30" x 8" Pan Kit	OPT-REFS830	OPT-REFS830E12	OPT-REFS830E110	OPT-REFS830FSEN	24"	½"	40K
36" x 8" Pan Kit	OPT-REFS836	OPT-REFS836E12	OPT-REFS836E110	OPT-REFS836FSEN	30"	½"	50K
42" x 8" Pan Kit	OPT-REFS842	OPT-REFS842E12	OPT-REFS842E110	OPT-REFS842FSEN	36"	½"	60K
48" x 8" Pan Kit	OPT-REFS848	OPT-REFS848E12	OPT-REFS848E110	OPT-REFS848FSEN	42"	½"	70K



Rectangular Flat Pan & SS 'H' Burner

ITEM	MATCH LIT	ELECTRONIC 12V CSA CERTIFIED	ELECTRONIC 110V CSA CERTIFIED	FLAME SENSE IGNITION	BURNER SIZE	GAS INLET	BTU
24" x 12" Pan Kit	OPT-REFD1224	OPT-REFD1224E12	OPT-REFD1224E110	OPT-REFD1224FSEN	18" x 6"	½"	70K
30" x 12" Pan Kit	OPT-REFD1230	OPT-REFD1230E12	OPT-REFD1230E110	OPT-REFD1230FSEN	24" x 6"	½"	90K
36" x 12" Pan Kit	OPT-REFD1236	OPT-REFD1236E12	OPT-REFD1236E110	OPT-REFD1236FSEN	30" x 6"	½"	110K
42" x 12" Pan Kit	OPT-REFD1242	OPT-REFD1242E12	OPT-REFD1242E110	OPT-REFD1242FSEN	36" x 6"	½"	130K
48" x 12" Pan Kit	OPT-REFD1248	OPT-REFD1248E12	OPT-REFD1248E110	OPT-REFD1248FSEN	42" x 6"	½"	150K
24" x 18" Pan Kit	OPT-REFD1824	OPT-REFD1824E12	OPT-REFD1824E110	OPT-REFD1824FSEN	18" x 12"	½"	70K
30" x 18" Pan Kit	OPT-REFD1830	OPT-REFD1830E12	OPT-REFD1830E110	OPT-REFD1830FSEN	24" x 12"	½"	90K
36" x 18" Pan Kit	OPT-REFD1836	OPT-REFD1836E12	OPT-REFD1836E110	OPT-REFD1836FSEN	30" x 12"	½"	110K
42" x 18" Pan Kit	OPT-REFD1842	OPT-REFD1842E12	OPT-REFD1842E110	OPT-REFD1842FSEN	36" x 12"	½"	130K
48" x 18" Pan Kit	OPT-REFD1848	OPT-REFD1848E12	OPT-REFD1848E110	OPT-REFD1848FSEN	42" x 12"	½"	160K


Flat Pan & SS Burner Kits

- 12V & 110V Electronic Ignition Kits Require 10" Clearance Below the Pan
- 110V Ignition includes 3-prong plug
- Lifetime Warranty on all Burners



Rectangular Flat Pan & SS Rectangular Burner

ITEM	MATCH LIT	ELECTRONIC 12V CSA CERTIFIED	ELECTRONIC 110V CSA CERTIFIED	FLAME SENSE IGNITION	BURNER SIZE	GAS INLET	BTU
24" x 12" Pan Kit	OPT-RFRD1224	OPT-RFRD1224E12	OPT-RFRD1224E110	OPT-RFRD1224FSEN	18" x 6"	½"	80K
30" x 12" Pan Kit	OPT-RFRD1230	OPT-RFRD1230E12	OPT-RFRD1230E110	OPT-RFRD1230FSEN	24" x 6"	½"	90K
36" x 12" Pan Kit	OPT-RFRD1236	OPT-RFRD1236E12	OPT-RFRD1236E110	OPT-RFRD1236FSEN	30" x 6"	½"	110K
42" x 12" Pan Kit	OPT-RFRD1242	OPT-RFRD1242E12	OPT-RFRD1242E110	OPT-RFRD1242FSEN	36" x 6"	½"	130K
48" x 12" Pan Kit	OPT-RFRD1248	OPT-RFRD1248E12	OPT-RFRD1248E110	OPT-RFRD1248FSEN	42" x 6"	½"	170K
24" x 18" Pan Kit	OPT-RFRD1824	OPT-RFRD1824E12	OPT-RFRD1824E110	OPT-RFRD1824FSEN	18" x 12"	½"	100K
30" x 18" Pan Kit	OPT-RFRD1830	OPT-RFRD1830E12	OPT-RFRD1830E110	OPT-RFRD1830FSEN	24" x 12"	½"	120K
36" x 18" Pan Kit	OPT-RFRD1836	OPT-RFRD1836E12	OPT-RFRD1836E110	OPT-RFRD1836FSEN	30" x 12"	½"	140K
42" x 18" Pan Kit	OPT-RFRD1842	OPT-RFRD1842E12	OPT-RFRD1842E110	OPT-RFRD1842FSEN	36" x 12"	½"	180K
48" x 18" Pan Kit	OPT-RFRD1848	OPT-RFRD1848E12	OPT-RFRD1848E110	OPT-RFRD1848FSEN	42" x 12"	½"	200K



Rectangular Flat Pan & SS Switchback Burner

ITEM	MATCH LIT	ELECTRONIC 12V CSA CERTIFIED	ELECTRONIC 110V CSA CERTIFIED	FLAME SENSE IGNITION	BURNER SIZE	GAS INLET	BTU
24" x 12" Pan Kit	OPT-RFSB1224	OPT-RFSB1224E12	OPT-RFSB1224E110	OPT-RFSB1224FSEN	18" x 6"	½"	70K
30" x 12" Pan Kit	OPT-RFSB1230	OPT-RFSB1230E12	OPT-RFSB1230E110	OPT-RFSB1230FSEN	24" x 6"	½"	90K
36" x 12" Pan Kit	OPT-RFSB1236	OPT-RFSB1236E12	OPT-RFSB1236E110	OPT-RFSB1236FSEN	30" x 6"	½"	110K
42" x 12" Pan Kit	OPT-RFSB1242	OPT-RFSB1242E12	OPT-RFSB1242E110	OPT-RFSB1242FSEN	36" x 6"	½"	130K
48" x 12" Pan Kit	OPT-RFSB1248	OPT-RFSB1248E12	OPT-RFSB1248E110	OPT-RFSB1248FSEN	42" x 6"	½"	150K
24" x 18" Pan Kit	OPT-RFSB1824	OPT-RFSB1824E12	OPT-RFSB1824E110	OPT-RFSB1824FSEN	18" x 12"	½"	70K
30" x 18" Pan Kit	OPT-RFSB1830	OPT-RFSB1830E12	OPT-RFSB1830E110	OPT-RFSB1830FSEN	24" x 12"	½"	90K
36" x 18" Pan Kit	OPT-RFSB1836	OPT-RFSB1836E12	OPT-RFSB1836E110	OPT-RFSB1836FSEN	30" x 12"	½"	110K
42" x 18" Pan Kit	OPT-RFSB1842	OPT-RFSB1842E12	OPT-RFSB1842E110	OPT-RFSB1842FSEN	36" x 12"	½"	130K
48" x 18" Pan Kit	OPT-RFSB1848	OPT-RFSB1848E12	OPT-RFSB1848E110	OPT-RFSB1848FSEN	42" x 12"	½"	160K

Drop In Pan & SS Burner Kits

- 12V & 110V Electronic Ignition Kits Require 10" Clearance Below the Pan
- 110V Ignition includes 3-prong plug
- Standard 2" Deep & 1" Lip
- Lifetime Warranty on all Burners

LEGEND: M = Uses manifold, Adds 5" in height) ; **2R** = 2 Rings ; **3R** = 3 Rings ; **4R** = 4 Rings)



Round Drop In Pan & Round SS Burner

ITEM	MATCH LIT	ELECTRONIC 12V CSA CERTIFIED	ELECTRONIC 110V CSA CERTIFIED	FLAME SENSE IGNITION	BURNER SIZE	GAS INLET	BTU
13" Drop In Kit	OPT-PBSBR13	OPT-PBSBR13E12	OPT-PBSBR13E110	OPT-PBSBR13FSEN	6"	½"	65K
19" Drop In Kit	OPT-PBSBR19	OPT-PBSBR19E12	OPT-PBSBR19E110	OPT-PBSBR19FSEN	12"	½"	90K
25" Drop In Kit	OPT-PBSBR25	OPT-PBSBR25E12	OPT-PBSBR25E110	OPT-PBSBR25FSEN	18" (2R)	½"	160K
31" Drop In Kit	OPT-PBSBR31	OPT-PBSBR31E12	OPT-PBSBR31E110	OPT-PBSBR31FSEN	24" (2R)	½"	190K
37" Drop In Kit	OPT-PBSBR37	OPT-PBSBR37E12	OPT-PBSBR37E110	OPT-PBSBR37FSEN	30" (3R)	¾"	310K
43" Drop In Kit	OPT-PBSBR43	OPT-PBSBR43E12	OPT-PBSBR43E110	OPT-PBSBR43FSEN	36" (3R)	¾"	375K



Round Drop In Pan & SS Lotus Burner

ITEM	MATCH LIT	ELECTRONIC 12V CSA CERTIFIED	ELECTRONIC 110V CSA CERTIFIED	FLAME SENSE IGNITION	BURNER SIZE	GAS INLET	BTU
19" Drop In Kit	OPT-PBSBRLF19	OPT-PBSBRLF19E12	OPT-PBSBRLF19E110	OPT-PBSBRLF19FSEN	12"	½"	90K
25" Drop In Kit	OPT-PBSBRLF25	OPT-PBSBRLF25E12	OPT-PBSBRLF25E110	OPT-PBSBRLF25FSEN	18"	½"	115K
31" Drop In Kit	OPT-PBSBRLF31	OPT-PBSBRLF31E12	OPT-PBSBRLF31E110	OPT-PBSBRLF31FSEN	24"	½"	175K
37" Drop In Kit	OPT-PBSBRLF37	OPT-PBSBRLF37E12	OPT-PBSBRLF37E110	OPT-PBSBRLF37FSEN	30"	¾"	220K
43" Drop In Kit	OPT-PBSBRLF43	OPT-PBSBRLF43E12	OPT-PBSBRLF43E110	OPT-PBSBRLF43FSEN	36"	¾"	265K



Round Drop In Pan & SS Triple 'S' Burner

ITEM	MATCH LIT	ELECTRONIC 12V CSA CERTIFIED	ELECTRONIC 110V CSA CERTIFIED	FLAME SENSE IGNITION	BURNER SIZE	GAS INLET	BTU
19" Drop In Kit	OPT-PBSBR3519	OPT-PBSBR3519E12	OPT-PBSBR3519E110	OPT-PBSBR3519FSEN	12"	½"	90K
25" Drop In Kit	OPT-PBSBR3525	OPT-PBSBR3525E12	OPT-PBSBR3525E110	OPT-PBSBR3525FSEN	18"	½"	115K
31" Drop In Kit	OPT-PBSBR3531	OPT-PBSBR3531E12	OPT-PBSBR3531E110	OPT-PBSBR3531FSEN	24"	½"	175K
37" Drop In Kit	OPT-PBSBR3537	OPT-PBSBR3537E12	OPT-PBSBR3537E110	OPT-PBSBR3537FSEN	30"	¾"	220K
43" Drop In Kit	OPT-PBSBR3543	OPT-PBSBR3543E12	OPT-PBSBR3543E110	OPT-PBSBR3543FSEN	36"	¾"	265K

Drop In Pan & SS Burner Kits

- 12V & 110V Electronic Ignition Kits Require 10" Clearance Below the Pan
- 110V Ignition includes 3-prong plug
- Standard 2" Deep & 1" Lip
- Lifetime Warranty on all Burners



Square Drop In Pan & Square SS Burner

ITEM	MATCH LIT	ELECTRONIC 12V CSA CERTIFIED	ELECTRONIC 110V CSA CERTIFIED	FLAME SENSE IGNITION	BURNER SIZE	GAS INLET	BTU
16.5" Drop In Kit	OPT-PBSBS16	OPT-PBSBS16E12	OPT-PBSBS16E110	OPT-PBSBS16FSEN	12"	½"	90K
18" Drop In Kit	OPT-PBSBS18	OPT-PBSBS18E12	OPT-PBSBS18E110	OPT-PBSBS18FSEN	12"	½"	90K
24" Drop In Kit	OPT-PBSBS24	OPT-PBSBS24E12	OPT-PBSBS24E110	OPT-PBSBS24FSEN	18" (2R)	½"	160K
30" Drop In Kit	OPT-PBSBS30	OPT-PBSBS30E12	OPT-PBSBS30E110	OPT-PBSBS30FSEN	24" (2R)	½"	190K
36" Drop In Kit	OPT-PBSBS36	OPT-PBSBS36E12	OPT-PBSBS36E110	OPT-PBSBS36FSEN	30" (3R)	¾"	310K
48" Drop In Kit	OPT-PBSBS48	OPT-PBSBS48E12	OPT-PBSBS48E110	OPT-PBSBS48FSEN	36" (3R)	¾"	375K



Square Drop In Pan & SS Lotus Burner

ITEM	MATCH LIT	ELECTRONIC 12V CSA CERTIFIED	ELECTRONIC 110V CSA CERTIFIED	FLAME SENSE IGNITION	BURNER SIZE	GAS INLET	BTU
16.5" Drop In Kit	OPT-PBSBSLF16	OPT-PBSBSLF16E12	OPT-PBSBSLF16E110	OPT-PBSBSLF16FSEN	12"	½"	90K
18" Drop In Kit	OPT-PBSBSLF18	OPT-PBSBSLF18E12	OPT-PBSBSLF18E110	OPT-PBSBSLF18FSEN	12"	½"	100K
24" Drop In Kit	OPT-PBSBSLF24	OPT-PBSBSLF24E12	OPT-PBSBSLF24E110	OPT-PBSBSLF24FSEN	18"	½"	160K
30" Drop In Kit	OPT-PBSBSLF30	OPT-PBSBSLF30E12	OPT-PBSBSLF30E110	OPT-PBSBSLF30FSEN	24"	½"	190K
36" Drop In Kit	OPT-PBSBSLF36	OPT-PBSBSLF36E12	OPT-PBSBSLF36E110	OPT-PBSBSLF36FSEN	30"	¾"	260K
48" Drop In Kit	OPT-PBSBSLF48	OPT-PBSBSLF48E12	OPT-PBSBSLF48E110	OPT-PBSBSLF48FSEN	36"	¾"	350K



Square Drop In Pan & SS Triple 'S' Burner

ITEM	MATCH LIT	ELECTRONIC 12V CSA CERTIFIED	ELECTRONIC 110V CSA CERTIFIED	FLAME SENSE IGNITION	BURNER SIZE	GAS INLET	BTU
16.5" Drop In Kit	OPT-PBSBS3S16	OPT-PBSBS3S16E12	OPT-PBSBS3S16E110	OPT-PBSBS3S16FSEN	12"	½"	90K
18" Drop In Kit	OPT-PBSBS3S18	OPT-PBSBS3S18E12	OPT-PBSBS3S18E110	OPT-PBSBS3S18FSEN	12"	½"	90K
24" Drop In Kit	OPT-PBSBS3S24	OPT-PBSBS3S24E12	OPT-PBSBS3S24E110	OPT-PBSBS3S24FSEN	18"	½"	110K
30" Drop In Kit	OPT-PBSBS3S30	OPT-PBSBS3S30E12	OPT-PBSBS3S30E110	OPT-PBSBS3S30FSEN	24"	½"	150K
36" Drop In Kit	OPT-PBSBS3S36	OPT-PBSBS3S36E12	OPT-PBSBS3S36E110	OPT-PBSBS3S36FSEN	30"	¾"	190K
48" Drop In Kit	OPT-PBSBS3S48	OPT-PBSBS3S48E12	OPT-PBSBS3S48E110	OPT-PBSBS3S48FSEN	36"	¾"	240K

Drop In Pan & SS Burner Kits

- 12V & 110V Electronic Ignition Kits Require 10" Clearance Below the Pan
- 110V Ignition includes 3-prong plug
- Standard 2" Deep & 1" Lip
- Lifetime Warranty on all Burners

LEGEND: **M** = Uses manifold, Adds 5" in height); **2R** = 2 Rings ; **3R** = 3 Rings ; **4R** = 4 Rings)



Rectangular Drop In Pan & SS Linear Burner

ITEM	MATCH LIT	ELECTRONIC 12V CSA CERTIFIED	ELECTRONIC 110V CSA CERTIFIED	FLAME SENSE IGNITION	BURNER SIZE	GAS INLET	BTU
24"x6" Rectangle	OPT-RT24	OPT-RT24E12	OPT-RT24E110	OPT-RT24FSEN	18" Linear	½"	30K
30"x6" Rectangle	OPT-RT30	OPT-RT30E12	OPT-RT30E110	OPT-RT30FSEN	24" Linear	½"	35K
36"x6" Rectangle	OPT-RT36	OPT-RT36E12	OPT-RT36E110	OPT-RT36FSEN	30" Linear	½"	50K
42"x6" Rectangle	OPT-RT42	OPT-RT42E12	OPT-RT42E110	OPT-RT42FSEN	36" Linear	½"	65K
48"x6" Rectangle	OPT-RT48	OPT-RT48E12	OPT-RT48E110	OPT-RT48FSEN	42" Linear	½"	80K
60"x6" Rectangle	OPT-RT60	OPT-RT60E12	OPT-RT60E110	OPT-RT60FSEN	48" Linear	½"	100K
72"x6" Rectangle	OPT-RT72	OPT-RT72E12	OPT-RT72E110	OPT-RT72FSEN	60" Linear	½"	125K
84"x6" Rectangle	OPT-RT84	OPT-RT84E12	OPT-RT84E110	OPT-RT84FSEN	72" Linear	¾"	130K
96"x6" Rectangle	OPT-RT96	OPT-RT96E12	OPT-RT96E110	OPT-RT96FSEN	84" Linear	¾"	150K




Rectangular Drop In Pan & SS 'H' Burner

ITEM	MATCH LIT	ELECTRONIC 12V CSA CERTIFIED	ELECTRONIC 110V CSA CERTIFIED	FLAME SENSE IGNITION	BURNER SIZE	GAS INLET	BTU
24"x12" Rectangle	OPT-PBSB1224	OPT-PBSB1224E12	OPT-PBSB1224E110	OPT-PBSB1224FSEN	18" x 6"	½"	60K
30"x12" Rectangle	OPT-PBSB1230	OPT-PBSB1230E12	OPT-PBSB1230E110	OPT-PBSB1230FSEN	24" x 6"	½"	80K
36"x12" Rectangle	OPT-PBSB1236	OPT-PBSB1236E12	OPT-PBSB1236E110	OPT-PBSB1236FSEN	30" x 6"	½"	100K
42"x12" Rectangle	OPT-PBSB1242	OPT-PBSB1242E12	OPT-PBSB1242E110	OPT-PBSB1242FSEN	36" x 6"	½"	120K
48"x12" Rectangle	OPT-PBSB1248	OPT-PBSB1248E12	OPT-PBSB1248E110	OPT-PBSB1248FSEN	42" x 6"	½"	140K
60"x12" Rectangle	OPT-PBSB1260	OPT-PBSB1260E12	OPT-PBSB1260E110	OPT-PBSB1260FSEN	48" x 6"	¾"	160K
72"x12" Rectangle	OPT-PBSB1272	OPT-PBSB1272E12	OPT-PBSB1272E110	OPT-PBSB1272FSEN	60" x 6"	¾"	200K
84"x12" Rectangle	OPT-PBSB1284	OPT-PBSB1284E12	OPT-PBSB1284E110	OPT-PBSB1284FSEN	72" x 6"	¾"	240K
36"x14" Rectangle	OPT-PBSB1436	OPT-PBSB1436E12	OPT-PBSB1436E110	OPT-PBSB1436FSEN	30" x 6"	½"	60K
42"x14" Rectangle	OPT-PBSB1442	OPT-PBSB1442E12	OPT-PBSB1442E110	OPT-PBSB1442FSEN	36" x 6"	½"	120K
54"x16" Rectangle	OPT-PBSB1654	OPT-PBSB1654E12	OPT-PBSB1654E110	OPT-PBSB1654FSEN	48" x 6"	½"	160K

Drop In Pan & SS Burner Kits

- 12V & 110V Electronic Ignition Kits Require 10" Clearance Below the Pan
- 110V Ignition includes 3-prong plug
- Standard 2" Deep & 1" Lip
- Lifetime Warranty on all Burners



Rectangular Drop In Pan & SS 'H' Burner

ITEM	MATCH LIT	ELECTRONIC 12V CSA CERTIFIED	ELECTRONIC 110V CSA CERTIFIED	FLAME SENSE IGNITION	BURNER SIZE	GAS INLET	BTU
24"x12" Rectangle	OPT-PBSB1224	OPT-PBSB1224E12	OPT-PBSB1224E110	OPT-PBSB1224FSEN	18" x 6"	½"	60K
30"x12" Rectangle	OPT-PBSB1230	OPT-PBSB1230E12	OPT-PBSB1230E110	OPT-PBSB1230FSEN	24" x 6"	½"	80K
36"x12" Rectangle	OPT-PBSB1236	OPT-PBSB1236E12	OPT-PBSB1236E110	OPT-PBSB1236FSEN	30" x 6"	½"	100K
42"x12" Rectangle	OPT-PBSB1242	OPT-PBSB1242E12	OPT-PBSB1242E110	OPT-PBSB1242FSEN	36" x 6"	½"	120K
48"x12" Rectangle	OPT-PBSB1248	OPT-PBSB1248E12	OPT-PBSB1248E110	OPT-PBSB1248FSEN	42" x 6"	½"	140K
60"x12" Rectangle	OPT-PBSB1260	OPT-PBSB1260E12	OPT-PBSB1260E110	OPT-PBSB1260FSEN	48" x 6"	¾"	160K
72"x12" Rectangle	OPT-PBSB1272	OPT-PBSB1272E12	OPT-PBSB1272E110	OPT-PBSB1272FSEN	60" x 6"	¾"	200K
84"x12" Rectangle	OPT-PBSB1284	OPT-PBSB1284E12	OPT-PBSB1284E110	OPT-PBSB1284FSEN	72" x 6"	¾"	240K
36"x14" Rectangle	OPT-PBSB1436	OPT-PBSB1436E12	OPT-PBSB1436E110	OPT-PBSB1436FSEN	30" x 6"	½"	60K
42"x14" Rectangle	OPT-PBSB1442	OPT-PBSB1442E12	OPT-PBSB1442E110	OPT-PBSB1442FSEN	36" x 6"	½"	120K
54"x16" Rectangle	OPT-PBSB1654	OPT-PBSB1654E12	OPT-PBSB1654E110	OPT-PBSB1654FSEN	48" x 6"	½"	160K





THE OUTDOOR PLUS

USA MANUFACTURER OF FIRE & WATER FEATURES



4855 STATE ROAD 60 WEST.
MULBERRY, FL 33860
P: 863.425.3182 | 813.681.6181
WWW.DANIELLEFENCE.COM

Since 1976

Danielle
Fence & Outdoor Living